

■ Melbourne 3-5 Dissik Street Cheltenham VIC 3192 Telephone: (03) 9532 1233 Facsimile: (03) 9553 3502

☐ Perth 36 Division Street Welshpool WA 6106 elephone: (08) 9358 1788 Facsimile: (08) 9358 1733

Postal Address: PO Box 642 Virginia QLD 4014 Telephone: (07) 3863 0749 Facsimile: (07) 3863 0795

□ Rockhampton Shop3, 76 Hollingsworth St North Rockhampton QLD 4701 Postal Address: PO Box 1124 North Rockhampton QLD 4701 Telephone: (07) 4921 0978 Facsimile: (07) 4921 0981

For all account enquiries Phone (02) 8878 1320 Fax (02) 9808 4977

Declaration of Conformity 800A Body Size D Coupler

Serial Number:	63818 - 01	Date: 21	21/08/2019
Catalogue Number:	AA803BC	Date.	21/06/2019
Final Inspection Details			
Adaptor flange FLP flatness & Big "L" min length (25.0) / Little "I" min length (8.0)		Pass	
Gland entry diameter (127.05 / 127.2) Big "L" min FLP length (12.5) / Little "I" min FLP length (8.0)		Pass	
Indicator light entry (M40 x 1.5 6g/6H)		Pass	
Blanking plug entry (M32 x 1.5 6g/6H)		Pass	
Correct label details		Checked	

CMI Electrical Products, a division of CMI Operations P/L and manufacturer of Minto Industrial Products conforms to ISO9001 and is verified through an external accredited certification body.

The Minto Industrial Product Range is certified to comply with AS/NZS 1299 and AS/NZS 1300. This product is therefore compatible with other products that are also designed & certified to these standards. The 800A range of Bolted Coupler certification details are:

• IECEX TSA 15.0006 Issue 0; Dated 2015-05-01 • ANZEX 15.3004 Issue 0; Dated 2015-05-01

The relevant Certificates of Conformity, Drawings and Fitting-Maintenance Instructions for this product can be downloaded from the Certificates section of the CMI Website. https://cmielectrical.com.au/certifications (Requires Registration)

The manufacturing system is such that all raw materials are machined by approved subcontractors and supplied to CMI as conforming product. Minto Industrial Products undertakes routine batch tests on components prior to placing into stock. All components that include flamepaths have individual dimensional checks undertaken. Electrical testing of interior insulation materials is conducted on all individual components

A unique serial number is placed on these products to allow for traceability. The product described above has been checked and was compliant at the time of dispatch from CMI Electrical Products. It is the responsibility of the person installing this product to confirm that no damage has occurred during transit or installation. The user must ensure that the item is fit for purpose, compliant and has been installed in accordance with CMI's installation documentation and the relevant Australian standards.

Contact CMI directly if technical information or assistance is required for this product.

Email at: support@cmielectrical.com.au

Item Quality Certified By:	CMI Production Supervision

This document is traceable to CMI internal quality documents













■ Melbourne 3-5 Dissik Street Cheltenham VIC 3192 Telephone: (03) 9532 1233 Facsimile: (03) 9553 3502

☐ Perth 36 Division Street Welshpool WA 6106 elephone: (08) 9358 1788 Facsimile: (08) 9358 1733

Postal Address: PO Box 642 Virginia QLD 4014 Telephone: (07) 3863 0749 Facsimile: (07) 3863 0795

□ Rockhampton Shop3, 76 Hollingsworth St North Rockhampton QLD 4701 Postal Address: PO Box 1124 North Rockhampton QLD 4701 Telephone: (07) 4921 0978 Facsimile: (07) 4921 0981

For all account enquiries Phone (02) 8878 1320 Fax (02) 9808 4977

Declaration of Conformity 800A Body Size D Coupler

Serial Number:	63818 - 02	Date:	21/08/2019
Catalogue Number:	AA803BC	Date.	21/06/2019
Final Inspection Details			
Adaptor flange FLP flatness & Big "L" min length (25.0) / Little "I" min length (8.0)		Pass	
Gland entry diameter (127.05 / 127.2) Big "L" min FLP length (12.5) / Little "I" min FLP length (8.0)		Pass	
Indicator light entry (M40 x 1.5 6g/6H)		Pass	
Blanking plug entry (M32 x 1.5 6g/6H)		Pass	
Correct label details		Checked	

CMI Electrical Products, a division of CMI Operations P/L and manufacturer of Minto Industrial Products conforms to ISO9001 and is verified through an external accredited certification body.

The Minto Industrial Product Range is certified to comply with AS/NZS 1299 and AS/NZS 1300. This product is therefore compatible with other products that are also designed & certified to these standards. The 800A range of Bolted Coupler certification details are:

• IECEX TSA 15.0006 Issue 0; Dated 2015-05-01 • ANZEX 15.3004 Issue 0; Dated 2015-05-01

The relevant Certificates of Conformity, Drawings and Fitting-Maintenance Instructions for this product can be downloaded from the Certificates section of the CMI Website. https://cmielectrical.com.au/certifications (Requires Registration)

The manufacturing system is such that all raw materials are machined by approved subcontractors and supplied to CMI as conforming product. Minto Industrial Products undertakes routine batch tests on components prior to placing into stock. All components that include flamepaths have individual dimensional checks undertaken. Electrical testing of interior insulation materials is conducted on all individual components

A unique serial number is placed on these products to allow for traceability. The product described above has been checked and was compliant at the time of dispatch from CMI Electrical Products. It is the responsibility of the person installing this product to confirm that no damage has occurred during transit or installation. The user must ensure that the item is fit for purpose, compliant and has been installed in accordance with CMI's installation documentation and the relevant Australian standards.

Contact CMI directly if technical information or assistance is required for this product.

Email at: support@cmielectrical.com.au

Item Quality Certified By:	CMI Production Supervision

This document is traceable to CMI internal quality documents













■ Melbourne 3-5 Dissik Street Cheltenham VIC 3192 Telephone: (03) 9532 1233 Facsimile: (03) 9553 3502

☐ Perth 36 Division Street Welshpool WA 6106 elephone: (08) 9358 1788 Facsimile: (08) 9358 1733

Postal Address: PO Box 642 Virginia QLD 4014 Telephone: (07) 3863 0749 Facsimile: (07) 3863 0795

□ Rockhampton Shop3, 76 Hollingsworth St North Rockhampton QLD 4701 Postal Address: PO Box 1124 North Rockhampton QLD 4701 Telephone: (07) 4921 0978 Facsimile: (07) 4921 0981

For all account enquiries Phone (02) 8878 1320 Fax (02) 9808 4977

Declaration of Conformity 800A Body Size D Coupler

Serial Number:	63818 - 03	Date:	21/08/2019
Catalogue Number:	AA803BC	Date.	21/06/2019
Final Inspection Details			
Adaptor flange FLP flatness & Big "L" min length (25.0) / Little "I" min length (8.0)		Pass	
Gland entry diameter (127.05 / 127.2) Big "L" min FLP length (12.5) / Little "l" min FLP length (8.0)		Pass	
Indicator light entry (M40 x 1.5 6g/6H)		Pass	
Blanking plug entry (M32 x 1.5 6g/6H)		Pass	
Correct label details		Checked	

CMI Electrical Products, a division of CMI Operations P/L and manufacturer of Minto Industrial Products conforms to ISO9001 and is verified through an external accredited certification body.

The Minto Industrial Product Range is certified to comply with AS/NZS 1299 and AS/NZS 1300. This product is therefore compatible with other products that are also designed & certified to these standards. The 800A range of Bolted Coupler certification details are:

• IECEX TSA 15.0006 Issue 0; Dated 2015-05-01 • ANZEX 15.3004 Issue 0; Dated 2015-05-01

The relevant Certificates of Conformity, Drawings and Fitting-Maintenance Instructions for this product can be downloaded from the Certificates section of the CMI Website. https://cmielectrical.com.au/certifications (Requires Registration)

The manufacturing system is such that all raw materials are machined by approved subcontractors and supplied to CMI as conforming product. Minto Industrial Products undertakes routine batch tests on components prior to placing into stock. All components that include flamepaths have individual dimensional checks undertaken. Electrical testing of interior insulation materials is conducted on all individual components

A unique serial number is placed on these products to allow for traceability. The product described above has been checked and was compliant at the time of dispatch from CMI Electrical Products. It is the responsibility of the person installing this product to confirm that no damage has occurred during transit or installation. The user must ensure that the item is fit for purpose, compliant and has been installed in accordance with CMI's installation documentation and the relevant Australian standards.

Contact CMI directly if technical information or assistance is required for this product.

Email at: support@cmielectrical.com.au

Item Quality Certified By:	CMI Production Supervision

This document is traceable to CMI internal quality documents













■ Melbourne 3-5 Dissik Street Cheltenham VIC 3192 Telephone: (03) 9532 1233 Facsimile: (03) 9553 3502

☐ Perth 36 Division Street Welshpool WA 6106 elephone: (08) 9358 1788 Facsimile: (08) 9358 1733

Postal Address: PO Box 642 Virginia QLD 4014 Telephone: (07) 3863 0749 Facsimile: (07) 3863 0795

□ Rockhampton Shop3, 76 Hollingsworth St North Rockhampton QLD 4701 Postal Address: PO Box 1124 North Rockhampton QLD 4701 Telephone: (07) 4921 0978 Facsimile: (07) 4921 0981

For all account enquiries Phone (02) 8878 1320 Fax (02) 9808 4977

Declaration of Conformity 800A Body Size D Coupler

Serial Number:	63818 - 04	Date:	21/08/2019
Catalogue Number:	AA803BC	Date.	
Final Inspection Details			
Adaptor flange FLP flatness & Big "L" min length (25.0) / Little "I" min length (8.0)		Pass	
Gland entry diameter (127.05 / 127.2) Big "L" min FLP length (12.5) / Little "l" min FLP length (8.0)		Pass	
Indicator light entry (M40 x 1.5 6g/6H)		Pass	
Blanking plug entry (M32 x 1.5 6g/6H)		Pass	
Correct label details		Checked	

CMI Electrical Products, a division of CMI Operations P/L and manufacturer of Minto Industrial Products conforms to ISO9001 and is verified through an external accredited certification body.

The Minto Industrial Product Range is certified to comply with AS/NZS 1299 and AS/NZS 1300. This product is therefore compatible with other products that are also designed & certified to these standards. The 800A range of Bolted Coupler certification details are:

• IECEX TSA 15.0006 Issue 0; Dated 2015-05-01 • ANZEX 15.3004 Issue 0; Dated 2015-05-01

The relevant Certificates of Conformity, Drawings and Fitting-Maintenance Instructions for this product can be downloaded from the Certificates section of the CMI Website. https://cmielectrical.com.au/certifications (Requires Registration)

The manufacturing system is such that all raw materials are machined by approved subcontractors and supplied to CMI as conforming product. Minto Industrial Products undertakes routine batch tests on components prior to placing into stock. All components that include flamepaths have individual dimensional checks undertaken. Electrical testing of interior insulation materials is conducted on all individual components

A unique serial number is placed on these products to allow for traceability. The product described above has been checked and was compliant at the time of dispatch from CMI Electrical Products. It is the responsibility of the person installing this product to confirm that no damage has occurred during transit or installation. The user must ensure that the item is fit for purpose, compliant and has been installed in accordance with CMI's installation documentation and the relevant Australian standards.

Contact CMI directly if technical information or assistance is required for this product.

Email at: support@cmielectrical.com.au

Item Quality Certified By:	CMI Production Supervision

This document is traceable to CMI internal quality documents













■ Melbourne 3-5 Dissik Street Cheltenham VIC 3192 Telephone: (03) 9532 1233 Facsimile: (03) 9553 3502

☐ Perth 36 Division Street Welshpool WA 6106 elephone: (08) 9358 1788 Facsimile: (08) 9358 1733

Postal Address: PO Box 642 Virginia QLD 4014 Telephone: (07) 3863 0749 Facsimile: (07) 3863 0795

□ Rockhampton Shop3, 76 Hollingsworth St North Rockhampton QLD 4701 Postal Address: PO Box 1124 North Rockhampton QLD 4701 Telephone: (07) 4921 0978 Facsimile: (07) 4921 0981

For all account enquiries Phone (02) 8878 1320 Fax (02) 9808 4977

Declaration of Conformity 800A Body Size D Coupler

Serial Number:	63818 - 05	Date:	21/08/2019
Catalogue Number:	AA803BC	Date.	21/00/2019
Final Inspection Details			
Adaptor flange FLP flatness & Big "L" min length (25.0) / Little "I" min length (8.0)		Pass	
Gland entry diameter (127.05 / 127.2) Big "L" min FLP length (12.5) / Little "l" min FLP length (8.0)		Pass	
Indicator light entry (M40 x 1.5 6g/6H)		Pass	
Blanking plug entry (M32 x 1.5 6g/6H)		Pass	
Correct label details		Checked	

CMI Electrical Products, a division of CMI Operations P/L and manufacturer of Minto Industrial Products conforms to ISO9001 and is verified through an external accredited certification body.

The Minto Industrial Product Range is certified to comply with AS/NZS 1299 and AS/NZS 1300. This product is therefore compatible with other products that are also designed & certified to these standards. The 800A range of Bolted Coupler certification details are:

• IECEX TSA 15.0006 Issue 0; Dated 2015-05-01 • ANZEX 15.3004 Issue 0; Dated 2015-05-01

The relevant Certificates of Conformity, Drawings and Fitting-Maintenance Instructions for this product can be downloaded from the Certificates section of the CMI Website. https://cmielectrical.com.au/certifications (Requires Registration)

The manufacturing system is such that all raw materials are machined by approved subcontractors and supplied to CMI as conforming product. Minto Industrial Products undertakes routine batch tests on components prior to placing into stock. All components that include flamepaths have individual dimensional checks undertaken. Electrical testing of interior insulation materials is conducted on all individual components

A unique serial number is placed on these products to allow for traceability. The product described above has been checked and was compliant at the time of dispatch from CMI Electrical Products. It is the responsibility of the person installing this product to confirm that no damage has occurred during transit or installation. The user must ensure that the item is fit for purpose, compliant and has been installed in accordance with CMI's installation documentation and the relevant Australian standards.

Contact CMI directly if technical information or assistance is required for this product.

Email at: support@cmielectrical.com.au

Item Quality Certified By:	CMI Production Supervision

This document is traceable to CMI internal quality documents









